

|  | Silindir   |             |  | Tip                                  | qpr Ref.<br>No.                                          | Boyut<br>mm-inch    |
|-----------------------------------------------------------------------------------|------------|-------------|-----------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------|---------------------|
|                                                                                   | Çap<br>mm. | Sayı        |                                                                                   |                                      |                                                          |                     |
| <b>LOMBARDINI</b>                                                                 |            |             |                                                                                   |                                      |                                                          |                     |
| Engine 502/602,<br>Engine 903,<br>Engine 1204,                                    | 72,0       | 2<br>3<br>4 | 2,00<br>2,00<br>3,00                                                              | 512 CR<br>542<br>563 CR              | <b>A50019.00</b><br><b>A50019.05</b><br><b>A50019.10</b> | STD<br>0,50<br>1,00 |
| Engine LDW 702/1003/1404                                                          | 75,0       | 2<br>3<br>4 | 2,00<br>2,00<br>3,00                                                              | 512 CR<br>522<br>563 CR              | <b>A50020.00</b><br><b>A50020.05</b><br><b>A50020.10</b> | STD<br>0,50<br>1,00 |
| Engine LA 300                                                                     | 76,0       | 1           | 2,00<br>2,00<br>4,00                                                              | 512 CR<br>543<br>563 CR              | <b>A50015.00</b><br><b>A50015.05</b><br><b>A50015.10</b> | STD<br>0,50<br>1,00 |
| Engine 15LD 315                                                                   | 78,0       | 1           | 2,00<br>2,00<br>3,00                                                              | 512 CR<br>512 IF<br>563 CR           | <b>A50026.00</b><br><b>A50026.05</b><br><b>A50026.10</b> | STD<br>0,50<br>1,00 |
| Engine LDA 520/522/523/525/527,<br>/325                                           | 78,0       | 1           | 2,00<br>2,00<br>2,00<br>4,00                                                      | 512 CR<br>512 IF<br>512 IF<br>563 CR | <b>A50012.00</b><br><b>A50012.05</b><br><b>A50012.10</b> | STD<br>0,50<br>1,00 |
| Engine LDA80,                                                                     | 80,0       | 1           | 2,00<br>2,00<br>2,00<br>4,00                                                      | 512 CR<br>512 IF<br>543<br>563 CR    | <b>A50005.00</b><br><b>A50005.05</b><br><b>A50005.10</b> | STD<br>0,50<br>1,00 |
| Engine LDA 530/532/533/535/537,<br>/6LD 360                                       | 82,0       | 1           | 2,00<br>2,00<br>2,00<br>5,00                                                      | 512 CR<br>512 IF<br>542<br>563 CR    | <b>A50011.00</b><br><b>A50011.05</b><br><b>A50011.10</b> | STD<br>0,50<br>1,00 |
| Engine 6LD 360                                                                    | 82,0       | 1           | 2,00<br>2,00<br>5,00                                                              | 512 CR<br>512 IF<br>563 CR           | <b>A50009.00</b><br><b>A50009.05</b><br><b>A50009.10</b> | STD<br>0,50<br>1,00 |
| Engine 15LD 350 / 400                                                             | 82,0       | 1           | 2,00<br>1,50<br>2,00                                                              | 512 CR<br>522<br>563 CR              | <b>A50027.00</b><br><b>A50027.05</b><br><b>A50027.10</b> | STD<br>0,50<br>1,00 |

|  | Silindir   |                  |  | Tip                                  | qpr Ref.<br>No.                     | Boyut<br>mm-inch    |
|-----------------------------------------------------------------------------------|------------|------------------|-----------------------------------------------------------------------------------|--------------------------------------|-------------------------------------|---------------------|
|                                                                                   | Çap<br>mm. | Sayı             |                                                                                   |                                      |                                     |                     |
| <b>LOMBARDINI</b>                                                                 |            |                  |                                                                                   |                                      |                                     |                     |
| Engine LDA 450 / 3LD 510                                                          | 85,0       | 1                | 2,00<br>2,00<br>2,00<br>4,00                                                      | 512 CR<br>522 IF<br>542<br>563 CR    | A50013.00<br>A50013.05<br>A50013.10 | STD<br>0,50<br>1,00 |
| Engine 15LD 440                                                                   | 86,0       | 1                | 2,00<br>1,50<br>2,50                                                              | 512 CR<br>522<br>563 CR              | A50028.00<br>A50028.05<br>A50028.10 | STD<br>0,50<br>1,00 |
| Engine 6LD 400,                                                                   | 86,0       | 1                | 2,00<br>2,00<br>4,00                                                              | 512 CR<br>522<br>563 CR              | A50008.00<br>A50008.05<br>A50008.10 | STD<br>0,50<br>1,00 |
| Engine 11LD 535-3                                                                 | 88,0       | 3                | 2,00<br>2,00<br>4,00                                                              | 512 CR<br>512 IF<br>563 CR           | A50021.00<br>A50021.05<br>A50021.10 | STD<br>0,50<br>1,00 |
| Engine LDW 1503/1603/2004/2204                                                    | 88,0       | 3<br>4           | 2,00<br>2,00<br>3,00                                                              | 512 CR<br>512 IF<br>563 CR           | A50025.00<br>A50025.05<br>A50025.10 | STD<br>0,50<br>1,00 |
| Engine LDA 710/713/715,<br>Engine LDA 904,<br>Engine 8LD 600-2                    | 90,0       | 1<br>2           | 2,50<br>2,50<br>2,50<br>5,00                                                      | 512 CR<br>512 IF<br>542<br>563 CR    | A50018.00<br>A50018.05<br>A50018.10 | STD<br>0,50<br>1,00 |
| Engine 9LD 560-2,                                                                 | 90,0       | 2                | 2,00<br>2,00<br>4,00                                                              | 512 CR<br>522 IF<br>563 CR           | A50017.00<br>A50017.05<br>A50017.10 | STD<br>0,50<br>1,00 |
| Engine LDA 95/96/97/672/673/674                                                   | 95,0       | 1<br>2<br>3<br>4 | 3,00<br>3,00<br>3,00<br>5,00                                                      | 512 CR<br>512 IF<br>512 IF<br>563 CR | A50023.00<br>A50023.05<br>A50023.10 | STD<br>0,50<br>1,00 |
| Engine LDA 720/723/725/7LD 665/<br>8LD 665/9LD 625,                               | 95,0       | 1<br>2           | 2,50<br>2,50<br>5,00                                                              | 512 CR<br>512 IF<br>563 CR           | A50003.00<br>A50003.05<br>A50003.10 | STD<br>0,50<br>1,00 |

|  | Silindir   |                  |  | Tip                                  | qpr Ref.<br>No.                                          | Boyut<br>mm-inch    |
|-----------------------------------------------------------------------------------|------------|------------------|-----------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------|---------------------|
|                                                                                   | Çap<br>mm. | Sayı             |                                                                                   |                                      |                                                          |                     |
| <b>LOMBARDINI</b>                                                                 |            |                  |                                                                                   |                                      |                                                          |                     |
| Engine LDA 914 / 7LD 665                                                          | 95,0       | 1<br>2           | 2,50<br>2,50<br>2,50<br>5,00                                                      | 512 CR<br>512 IF<br>512 IF<br>563 CR | <b>A50004.00</b><br><b>A50004.05</b><br><b>A50004.10</b> | STD<br>0,50<br>1,00 |
| Engine LDA 100/LDA 832/LDA 834/<br>4LD 705,                                       | 100,0      | 1<br>2<br>3<br>4 | 3,00<br>2,50<br>2,50<br>5,00                                                      | 512 CR<br>522 IF<br>522 IF<br>563 CR | <b>A50002.00</b><br><b>A50002.05</b><br><b>A50002.10</b> | STD<br>0,50<br>1,00 |
| Engine 5LD 824-2                                                                  | 100,0      | 2                | 2,50<br>2,50<br>3,50                                                              | 512 CR<br>522<br>563 CR              | <b>A50007.00</b><br><b>A50007.05</b><br><b>A50007.10</b> | STD<br>0,50<br>1,00 |
| Engine LDA 820/4LD 820,                                                           | 102,0      | 1                | 3,00<br>2,50<br>2,50<br>5,00                                                      | 512 CR<br>522<br>522<br>563 CR       | <b>A50016.00</b><br><b>A50016.05</b><br><b>A50016.10</b> | STD<br>0,50<br>1,00 |
| Engine 5LD 930                                                                    | 106,0      | 3<br>4           | 2,50<br>2,50<br>2,50<br>5,00                                                      | 512 CR<br>512 IF<br>543<br>563 CR    | <b>A50024.00</b><br><b>A50024.05</b><br><b>A50024.10</b> | STD<br>0,50<br>1,00 |